



*DO NOT CIRCULATE*

FINAL VITAL STATISTICS TABLES. MARYLAND, 1957

Maryland Room  
University of Maryland Library  
College Park Md

These tables include interstate correction for residence, and replace the Provisional Vital Statistics published in January, 1958, which included only births and deaths which occurred in Maryland.



Division of Vital Records and Statistics  
Maryland State Department of Health  
2411 North Charles Street  
Baltimore 18, Maryland  
July, 1958



MARYLAND VITAL STATISTICS TABLES FOR 1957. (Final Report)<sup>a/</sup>

Table Number

POPULATION AND RATE TABLES

1. Estimated populations, July 1, 1957\*
2. Births and birth rates, 1920-1957
3. Deaths and death rates, 1920-1957
4. Death rates: 20 leading causes, 1957
5. Deaths: 20 leading causes, 1957
7. Rates: Birth; death; infant, stillbirth and maternal mortality, each county\*  
Death rates for specific causes, 1940-1957, will be available on request.

BIRTHS IN 1957

- 8-A. Age of mother
- 8-B. Month of birth
9. Attendant, each county\*
10. Hospitalization
11. Birthweight for single and plural births
12. Resident and non-resident <sup>b/</sup>

DEATHS IN 1957

5. Twenty leading causes
15. Twenty selected causes, for each county\*
- 13-A. Age groups, all causes
14. Age groups for eight leading causes
- 13-B. Month of death
6. Heart disease and cancer detail
16. Resident and non-resident <sup>b/</sup>
17. Infant, stillbirth and maternal, each county\*

18. MARRIAGES AND DIVORCES IN 1957

19. ABRIDGED LIFE TABLE

Tables without stars show only three major areas; namely, State, Baltimore City and totals for counties, except Table 14. \*Tables with stars show in addition the statistics for each county.

<sup>a/</sup> This report replaces the Preliminary Report released in January, 1958.

All tables are specific for race except Tables 14 and 15.

<sup>b/</sup> Residence. Except for Tables 12 and 16, all statistics in this report refer to area of residence of the individual, even if the birth or death occurred in another county or State. Tables 12 and 16 show births and deaths by place of occurrence as well as non-residents.



TABLE 1. ESTIMATED POPULATION, BY RACE. MARYLAND AREAS, JULY 1, 1957

Area	P O P U L A T I O N			P E R C E N T	
	All Races	White	Non-White	White	Non-White
Maryland State	2,894,500	2,427,100	467,400	83.9	16.1
Baltimore City*	979,000	688,000	291,000	70.3	29.7
Total Counties	1,915,500	1,739,100	176,400	90.8	9.2
Allegany	82,000	80,950	1,050	98.7	1.3
Anne Arundel	177,000	152,200	24,800	86.0	14.0
Baltimore	416,000	397,450	18,550	95.5	4.5
Calvert	14,300	9,400	4,900	65.7	34.3
Caroline	19,200	15,500	3,700	80.7	19.3
Carroll	53,400	51,100	2,300	95.7	4.3
Cecil	45,200	42,400	2,800	93.8	6.2
Charles	29,800	20,300	9,500	68.1	31.9
Dorchester	28,200	19,600	8,600	69.5	30.5
Frederick	68,700	64,400	4,300	93.7	6.3
Garrett	20,000	20,000	-	100.0	-
Harford	66,000	59,300	6,700	89.8	10.1
Howard	29,500	25,400	4,100	86.1	13.9
Kent	15,300	11,700	3,600	76.5	23.5
Montgomery	276,000	264,000	12,000	95.7	4.3
Prince Georges	320,000	294,200	25,800	91.9	8.1
Queen Annes	15,200	11,100	4,100	73.1	27.0
Saint Marys	38,000	31,800	6,200	83.7	16.3
Somerset	20,500	13,000	7,500	63.4	36.6
Talbot	20,100	14,800	5,300	73.6	26.4
Washington	88,500	86,200	2,300	97.4	2.6
Wicomico	47,800	37,900	9,900	79.3	20.7
Worcester	24,800	16,400	8,400	66.1	33.9

\* Estimates for Baltimore City are by the City Health Department.





TABLE 2. BIRTHS BY RACE, WITH RATES. THREE MARYLAND AREAS, 1920 - 1957

Year	NUMBER OF BIRTHS								
	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1920	36,720	29,888	6,832	18,426	15,584	2,842	18,294	14,304	3,990
1930	30,988	24,455	6,533	14,015	10,862	3,153	16,973	13,593	3,380
1940	32,368	25,438	6,932	13,712	10,105	3,607	18,656	15,333	3,323
1945	42,816	34,678	8,138	17,848	13,308	4,540	24,968	21,370	3,598
1950	55,992	43,599	12,393	21,382	14,168	7,214	34,610	29,431	5,179
1951	61,081	47,992	13,089	22,630	14,938	7,692	38,451	33,054	5,397
1952	63,165	50,146	13,019	22,775	14,989	7,786	40,390	35,157	5,233
1953	64,523	50,918	13,605	22,748	14,628	8,120	41,775	36,290	5,485
1954	67,445	53,204	14,241	23,523	14,949	8,574	43,922	38,255	5,667
1955	69,205	54,549	14,656	23,291	14,366	8,925	45,914	40,183	5,731
1956	72,111	56,387	15,724	23,782	14,032	9,750	48,329	42,355	5,974
1957	76,127	59,122	17,005	25,067	14,305	10,762	51,060	44,817	6,243

Year	BIRTH RATES PER 1,000 POPULATION								
	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1920	25.2	24.7	27.7	25.0	24.9	25.8	25.4	24.4	29.3
1930	18.9	18.0	23.5	17.4	16.4	22.0	20.4	19.5	25.1
1940	17.6	16.6	22.7	15.9	14.6	21.5	19.2	18.3	24.3
1945	20.4	19.8	23.4	19.7	18.8	23.0	21.0	20.6	24.0
1950	23.8	22.2	31.7	22.5	19.5	31.7	24.6	23.7	31.8
1951	25.4	23.9	33.1	23.7	20.7	33.4	26.6	25.8	32.6
1952	25.8	24.5	32.5	23.8	20.7	33.5	27.1	26.6	31.1
1953	25.8	24.5	32.5	23.6	20.4	32.8	27.2	26.6	32.1
1954	26.5	25.2	33.0	24.3	21.1	33.2	27.8	27.2	32.6
1955	25.6	24.1	33.3	24.1	20.5	33.6	26.5	25.8	32.7
1956	26.0	24.3	34.1	24.4	20.2	34.8	26.8	26.1	32.9
1957	26.3	24.3	36.4	25.6	20.8	37.0	26.7	25.8	35.4



TABLE 3. DEATHS BY RACE, WITH RATES. THREE MARYLAND AREAS, 1920 - 1957

Year	NUMBER OF DEATHS								
	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1920	21,401	16,162	5,239	11,205	8,676	2,529	10,196	7,486	2,710
1930	21,845	16,481	5,364	11,039	8,194	2,845	10,806	8,287	2,519
1940	21,883	16,943	4,940	11,096	8,243	2,853	10,787	8,700	2,087
1945	22,376	17,581	4,795	11,358	8,481	2,877	11,018	9,100	1,918
1950	22,450	17,811	4,639	10,624	7,835	2,789	11,826	9,976	1,850
1951	22,859	18,072	4,787	10,885	7,996	2,889	11,974	10,076	1,898
1952	23,960	19,121	4,839	11,237	8,280	2,957	12,723	10,841	1,882
1953	23,628	19,088	4,540	10,762	8,044	2,718	12,866	11,044	1,822
1954	23,031	18,588	4,443	10,242	7,506	2,736	12,789	11,082	1,707
1955	24,344	19,727	4,617	10,781	7,967	2,814	13,563	11,760	1,803
1956	25,163	20,227	4,936	11,131	8,121	3,010	14,032	12,106	1,926
1957	26,497	21,309	5,188	11,464	8,259	3,205	15,033	13,050	1,983

Year	DEATH RATES PER 1,000 POPULATION								
	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1920	14.7	13.3	21.3	15.2	13.8	22.9	14.1	12.8	19.9
1930	13.3	12.3	19.3	13.7	12.4	19.8	13.0	11.9	18.7
1940	11.9	11.1	16.2	12.9	11.9	17.0	11.1	10.4	15.2
1945	10.7	10.1	13.8	12.5	12.0	14.5	9.3	8.8	12.8
1950	9.5	9.1	11.9	11.1	10.8	12.3	8.4	8.0	11.4
1951	9.5	9.0	12.1	11.4	11.1	12.6	8.3	7.9	11.5
1952	9.8	9.3	12.1	11.7	11.4	12.7	8.5	8.2	11.2
1953	9.5	9.2	10.8	11.2	11.2	11.0	8.4	8.1	10.7
1954	9.1	8.8	10.3	10.6	10.6	10.6	8.1	7.9	9.8
1955	9.0	8.7	10.5	11.2	11.4	10.6	7.8	7.5	10.3
1956	9.1	8.7	10.7	11.4	11.7	10.7	7.8	7.5	10.6
1957	9.1	8.8	11.1	11.7	12.0	11.0	7.8	7.5	11.2





TABLE 4. DEATH RATES<sup>a/</sup> FOR TWENTY LEADING CAUSES BY RACE. THIRTEEN MARYLAND AREAS, 1957

Rank	Causes of death with 1948 International List Number	State of Maryland			Baltimore City			Total Counties		
		Total	White	Non- White	Total	White	Non- White	Total	White	Non- White
	All causes <sup>a/</sup>	9.1	8.8	11.1	11.7	12.0	11.0	7.8	7.5	11.2
1.	Diseases of the heart (410-443)	373.9	377.9	353.0	492.1	552.0	350.5	313.4	309.0	357.1
2.	Malignant neoplasms (140-205)	145.5	146.3	141.4	187.5	202.5	152.2	124.1	124.1	123.6
3.	Cerebral hemorrhage and other vascular lesions (330-334)	79.7	77.9	88.8	84.7	90.4	71.1	77.2	73.0	117.9
4.	All accidents (800-962)	46.8	42.2	70.4	48.8	45.6	56.3	45.7	40.9	93.5
5.	Diseases peculiar to early infancy (760-776)	45.4	33.4	108.0	57.2	30.2	121.0	39.4	34.6	86.7
6.	Influenza and pneumonia (480-493)	29.6	25.0	53.7	39.3	36.0	47.1	24.6	20.6	64.6
7.	Diabetes mellitus (260)	18.2	17.8	19.9	26.8	28.2	23.4	13.8	13.7	14.2
8.	Arteriosclerosis (450)	15.4	16.4	10.1	14.5	17.6	7.2	15.8	15.9	14.7
9.	Congenital malformations (750-759)	15.3	14.3	20.7	17.1	15.0	22.0	14.5	14.0	18.7
10.	Cirrhosis of the liver (581)	12.6	12.1	15.2	22.6	24.0	19.2	7.5	7.4	8.5
11.	Tuberculosis, all forms (001-019)	11.0	7.7	28.0	21.1	16.3	32.6	5.8	4.4	20.4
12.	Other diseases of circulatory system (451-468)	10.6	10.6	10.7	13.9	15.1	11.0	9.0	8.9	10.2
13.	Suicide (970-979)	10.4	11.3	6.0	9.9	12.1	4.8	10.7	11.0	7.9
14.	Nephritis (590-594)	9.2	7.4	18.4	9.6	7.3	15.1	9.0	7.5	23.8
15.	Hypertension without mention of heart (444-447)	6.1	4.9	12.2	8.2	5.9	13.4	5.0	4.5	10.2
16.	Homicide (980-985)	5.7	2.1	24.4	9.0	2.8	23.7	4.0	1.8	25.5
17.	Other diseases of central nervous system (350-357)	5.0	4.7	7.1	8.4	8.3	8.6	3.3	3.2	4.5
18.	Hernia and intestinal obstruction (560-561,570)	4.9	4.7	6.2	5.3	5.5	4.8	4.7	4.3	8.5
19.	Gastritis and duodenitis, enteritis and colitis (543,571-572)	4.9	3.9	10.1	6.1	5.1	8.6	4.2	3.4	12.5
20.	Senility (780-795)	4.4	3.8	7.5	5.3	5.7	4.5	3.9	3.0	12.5

<sup>a/</sup> Rates for specific causes are per 100,000 population; for all causes, per 1,000 population.



TABLE 5. DEATHS FOR TWENTY LEADING CAUSES BY RACE. THREE MARYLAND AREAS, 1957

Rank	Causes of death with 1948 International List Number	State of Maryland			Baltimore City			Total Counties		
		Total	White	Non- White	Total	White	Non- White	Total	White	Non- White
	All causes	26,497	21,309	5,188	11,464	8,259	3,205	15,033	13,050	1,983
1.	Diseases of the heart (410-443)	10,822	9,172	1,650	4,818	3,798	1,020	6,004	5,374	630
2.	Malignant neoplasms (140-205)	4,213	3,552	661	1,836	1,393	443	2,377	2,159	218
3.	Cerebral hemorrhage and other vascular lesions (330-334)	2,307	1,892	415	829	622	207	1,478	1,270	208
4.	All accidents (800-962)	1,354	1,025	329	478	314	164	876	711	165
5.	Diseases peculiar to early infancy (760-776)	1,315	810	505	560	208	352	755	602	153
6.	Influenza and pneumonia (480-493)	857	606	251	385	248	137	472	358	114
7.	Diabetes mellitus (260)	526	433	93	262	194	68	264	239	25
8.	Arteriosclerosis (450)	445	398	47	142	121	21	303	277	26
9.	Congenital malformations (750-759)	444	347	97	167	103	64	277	244	33
0.	Cirrhosis of the liver (581)	364	293	71	221	165	56	143	128	15
1.	Tuberculosis, all forms (001-019)	319	188	131	207	112	95	112	76	36
2.	Other diseases of circulatory system (451-468)	308	258	50	136	104	32	172	154	18
3.	Suicide (970-979)	302	274	28	97	83	14	205	191	14
4.	Nephritis (590-594)	266	180	86	94	50	44	172	130	42
5.	Hypertension without mention of heart (444-447)	176	119	57	80	41	39	96	78	18
6.	Homicide (980-985)	164	50	114	88	19	69	76	31	45
7.	Other diseases of central nervous system (350-357)	146	113	33	82	57	25	64	56	8
8.	Hernia and intestinal obstruction (560-561,570)	142	113	29	52	38	14	90	75	15
9.	Gastritis and duodenitis, enteritis and colitis (543,571-572)	141	94	47	60	35	25	81	59	22
0.	Senility (780-795)	127	92	35	52	39	13	75	53	22





TABLE 6. HEART DISEASE DEATHS BY TYPE AND CANCER DEATHS BY SITE, BY SEX-RACE. STATE, 1957

Cause of death with 1948 International List Number	Total	All races		White		Non-White	
		Male	Female	Male	Female	Male	Female
All heart disease (410-443)	10,822	6,050	4,772	5,157	4,015	893	757
Arteriosclerotic heart, inc. coronary (420)	5,958	3,705	2,253	3,339	2,010	366	243
Myocardial degeneration (422)	2,215	1,128	1,087	936	939	192	148
Hypertension with heart dis. (440-443)	1,991	881	1,110	619	810	262	300
Chronic rheumatic heart disease (410-416)	288	125	163	106	134	19	29
All other diseases of the heart	370	211	159	157	122	54	37
All malignant neoplasms (140-205)	4,213	2,204	2,009	1,860	1,692	344	317
Large intestine, except rectum (153)	401	168	233	150	202	18	31
Lung & bronchus, unspecified as to whether primary or secondary (163)	394	335	59	294	55	41	4
Lung, trachea and bronchus, specified as primary (162)	192	169	23	143	18	26	5
Breast (170)	360	2	358	2	311	-	47
Stomach (151)	329	202	127	152	91	50	36
Prostate (177)	209	209	-	164	-	45	-
Leukemia and aleukemia (204)	188	107	81	102	71	5	10
Rectum (154)	161	88	73	73	60	15	13
Cervix uteri (171)	149	-	149	-	99	-	50
All other sites	1,830	924	906	780	785	144	121



TABLE 7. BIRTH AND DEATH RATES; INFANT, STILLBIRTH AND MATERNAL MORTALITY RATES. MARYLAND AREAS, 1957

Area of Residence	BIRTH RATES <sup>a/</sup>			DEATH RATES <sup>a/</sup>			INFANT MORTALITY RATES <sup>b/</sup>			STILLBIRTH RATES <sup>b/ c/</sup>			MATERNAL MORTALITY <sup>b/ c/</sup>		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
Maryland State	26.3	24.3	36.4	9.1	8.8	11.1	28.2	22.8	46.9	15.4	13.1	23.4	3.4	3.4	2.9
Baltimore City	25.6	20.8	37.0	11.7	12.0	11.0	34.6	24.8	47.7	16.3	12.5	21.3	6.0	7.7	3.7
Total Counties	26.7	25.8	35.4	7.8	7.5	11.2	25.0	22.1	45.7	15.0	13.3	27.1	1.9	2.0	1.6
Allegany	20.3	20.2	24.8	12.2	12.1	18.1	19.2	19.5	-						
Anne Arundel	25.8	24.7	33.1	6.9	6.4	10.1	29.3	25.1	48.7						
Baltimore	28.2	28.0	32.0	6.9	6.8	8.6	22.4	21.0	48.8						
Calvert	33.1	20.9	56.5	10.0	8.8	12.2	19.0	10.2	25.3						
Caroline	20.5	17.9	31.1	13.5	12.6	17.6	35.6	25.2	60.9						
Carroll	20.2	19.9	27.4	9.4	9.4	10.4	35.2	34.4	47.6						
Cecil	31.8	31.6	34.3	9.3	9.0	13.6	31.3	32.1	20.8						
Charles	33.1	27.6	44.8	8.7	7.7	10.8	44.6	28.6	65.7						
Dorchester	22.2	18.3	31.0	13.2	13.5	12.5	41.6	30.7	56.2						
Frederick	23.4	22.8	32.3	10.3	10.2	13.0	22.4	18.4	64.7						
Garrett	21.0	21.0	-	8.0	7.9	-	11.9	11.9	-						
Harford	30.4	29.6	37.8	7.7	7.3	11.2	22.4	18.8	47.4						
Howard	24.9	24.1	29.5	8.7	8.1	12.9	27.2	24.5	41.3						
Kent	23.5	20.9	32.2	12.2	10.7	17.2	30.5	16.4	60.3						
Montgomery	27.5	27.3	32.1	6.1	6.0	9.4	19.0	18.6	26.0						
Prince Georges	29.4	28.2	43.6	5.5	5.1	9.9	24.9	22.3	44.4						
Queen Annes	21.2	18.5	28.5	13.3	13.2	13.4	21.7	19.5	25.6						
Saint Marys	29.6	26.1	47.3	6.5	5.3	12.6	48.9	44.5	61.4						
Somerset	18.9	15.1	25.5	11.3	10.9	11.9	36.1	15.2	57.6						
Talbot	23.5	21.7	28.5	14.1	13.7	15.1	21.2	6.2	53.0						
Washington	21.9	21.8	23.0	9.6	9.5	13.5	22.7	22.3	37.7						
Wicomico	24.0	21.0	35.5	10.9	11.2	10.1	25.2	21.3	34.1						
Worcester	22.6	18.3	30.9	14.1	14.9	12.7	28.5	29.9	26.9						

<sup>a/</sup> Birth and general death rates are per 1,000 population.

<sup>b/</sup> Infant and stillbirth mortality rates are per 1,000 live births; maternal mortality rates are per 10,000 live births.

<sup>c/</sup> See Table 17 for numbers of infant, stillbirth and maternal deaths in each county. Rates were not calculated for individual counties because of small numbers.





TABLE 8-A. BIRTHS BY RACE AND AGE OF MOTHER. THREE MARYLAND AREAS, 1957

Area of Residence	Race	All ages	AGE OF MOTHER								
			Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & over	Not stated
Maryland State	All births	76,127	202	10,524	23,042	20,465	13,805	6,519	1,436	80	54
	White	59,122	47	6,597	17,828	16,622	11,414	5,352	1,169	63	30
	Non-White	17,005	155	3,927	5,214	3,843	2,391	1,167	267	17	24
Baltimore City	All births	25,067	115	4,327	8,010	6,224	4,046	1,917	395	21	12
	White	14,305	19	1,929	4,603	3,780	2,499	1,204	256	11	4
	Non-White	10,762	96	2,398	3,407	2,444	1,547	713	139	10	8
Total Counties	All births	51,060	87	6,197	15,032	14,241	9,759	4,602	1,041	59	42
	White	44,817	28	4,668	13,225	12,842	8,915	4,148	913	52	26
	Non-White	6,243	59	1,529	1,807	1,399	844	454	128	7	16

TABLE 8-B. BIRTHS BY RACE AND MONTH OF BIRTH. THREE MARYLAND AREAS, 1957

Area of Residence	Race	All months	MONTH OF BIRTH											
			Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maryland State	All births	76,127	6025	5591	6280	5903	6096	6051	6679	6882	6871	7032	6261	6456
	White	59,122	4662	4370	4906	4615	4709	4671	5161	5285	5282	5541	4907	5013
	Non-White	17,005	1363	1221	1374	1288	1387	1380	1518	1597	1589	1491	1354	1443
Baltimore City	All births	25,067	2036	1817	2075	1930	1993	1927	2208	2269	2249	2309	2098	2156
	White	14,305	1163	1076	1194	1128	1122	1080	1238	1278	1245	1344	1216	1221
	Non-White	10,762	873	741	881	802	871	847	970	991	1004	965	882	935
Total Counties	All births	51,060	3989	3774	4205	3973	4103	4124	4471	4613	4622	4723	4163	4300
	White	44,817	3499	3294	3712	3487	3587	3591	3923	4007	4037	4197	3691	3792
	Non-White	6,243	490	480	493	486	516	533	548	606	585	526	472	508



TABLE 9. BIRTHS BY ATTENDANT AND RACE, WITH PERCENT PHYSICIAN ATTENDED. MARYLAND AREAS, 1957

Area of Residence	DELIVERIES BY :												PERCENT PHYSICIAN ATTENDED		
	ALL ATTENDANT TYPES			PHYSICIAN			MIDWIFE			OTHER ATTENDANT					
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
Maryland State	76,127	59,122	17,005	75,100	58,948	16,152	878	102	776	126	59	67	98.7	99.7	95.0
Baltimore City	25,067	14,305	10,762	24,870	14,258	10,612	126	27	99	71	20	51	99.2	99.7	98.6
Total Counties	51,060	44,817	6,243	50,230	44,690	5,540	752	75	677	55	39	16	98.4	99.7	88.7
Allegany	1,664	1,638	26	1,662	1,636	26	1	1	-	1	1	-	99.9	99.9	100.0
Anne Arundel	4,574	3,752	822	4,518	3,736	782	46	10	36	8	4	4	98.8	99.6	95.1
Baltimore	11,740	11,146	594	11,723	11,134	589	1	1	-	15	11	4	99.9	99.9	99.1
Calvert	473	196	277	456	195	261	16	-	16	-	-	-	96.4	99.5	94.2
Caroline	393	278	115	363	277	86	29	-	29	-	-	-	92.4	99.6	74.8
Carroll	1,079	1,016	63	1,076	1,014	62	2	1	1	1	1	-	99.7	99.8	98.4
Cecil	1,437	1,341	96	1,435	1,339	96	-	-	-	2	2	-	99.9	99.9	100.0
Charles	986	560	426	762	543	219	213	12	201	2	-	2	77.3	97.0	51.4
Dorchester	625	358	267	537	353	184	88	5	83	-	-	-	85.9	98.6	68.9
Frederick	1,607	1,468	139	1,599	1,462	137	6	6	-	-	-	-	99.5	99.6	98.6
Garrett	420	420	-	398	398	-	14	14	-	7	7	-	94.8	94.8	-
Harford	2,008	1,755	253	2,005	1,753	252	-	-	-	3	2	1	99.9	99.9	99.6
Howard	734	613	121	732	612	120	-	-	-	2	1	1	99.7	99.8	99.2
Kent	360	244	116	358	244	114	2	-	2	-	-	-	99.4	100.0	98.3
Montgomery	7,593	7,208	385	7,590	7,205	385	-	-	-	3	3	-	99.9	99.9	100.0
Prince Georges	9,416	8,290	1,126	9,405	8,287	1,118	6	1	5	5	2	3	99.9	99.9	99.3
Queen Annes	322	205	117	313	204	109	8	1	7	1	-	1	97.2	99.5	93.2
Saint Marys	1,124	831	293	1,017	813	204	106	17	89	1	1	-	90.5	97.8	69.6
Somerset	388	197	191	303	192	111	84	4	80	1	1	-	78.1	97.5	58.1
Talbot	472	321	151	457	321	136	12	-	12	-	-	-	96.8	100.0	90.1
Washington	1,935	1,882	53	1,928	1,875	53	2	2	-	3	3	-	99.6	99.6	100.0
Wicomico	1,149	797	352	1,141	796	345	7	-	7	-	-	-	99.3	99.9	98.0
Worcester	561	301	260	452	301	151	109	-	109	-	-	-	80.6	100.0	58.1





TABLE 10. BIRTHS BY HOSPITALIZATION AND RACE. MARYLAND AREAS, 1957

Area of Residence	ALL BIRTHS			HOSPITAL BIRTHS			PER CENT HOSPITAL			LOCATION OF HOSPITAL			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Same County	Other County	Other State	Balto. City
Maryland State	76,127	59,122	17,005	74,156	58,463	15,693	97.4	98.9	92.3	19,607	3,828	11,730	38,991
Baltimore City	25,067	14,305	10,762	24,480	14,121	10,359	97.7	98.7	96.3	...	233	119	24,128
Total Counties	51,060	44,817	6,243	49,676	44,342	5,334	97.3	98.9	85.4	19,607	3,595	11,611	14,863
Allegany	1,664	1,638	26	1,657	1,631	26	99.6	99.6	100.0	1,518	3	134	2
Anne Arundel	4,574	3,752	822	4,475	3,708	767	97.8	98.8	93.3	1,817	108	134	2,416
Baltimore	11,740	11,146	594	11,569	11,010	559	98.5	98.8	94.1	-	168	190	11,201
Calvert	473	196	277	445	194	251	94.1	99.0	90.6	369	41	18	17
Caroline	393	278	115	352	272	80	89.6	97.8	69.6	-	256	91	2
Carroll	1,079	1,016	63	1,014	968	46	94.0	95.3	73.0	-	201	392	415
Cecil	1,437	1,341	96	1,426	1,331	95	99.2	99.3	98.9	1,032	260	105	29
Charles	986	560	426	760	542	218	77.1	96.8	51.2	354	110	285	11
Dorchester	625	358	267	530	350	180	84.8	97.8	67.4	460	50	16	4
Frederick	1,607	1,468	139	1,576	1,441	135	98.1	98.2	97.1	1,225	76	264	11
Garrett	420	420	-	390	390	-	92.9	92.9	-	259	42	88	1
Harford	2,008	1,755	253	1,969	1,728	241	98.1	98.5	95.3	1,623	34	38	274
Howard	734	613	121	716	605	111	97.5	98.7	91.7	-	344	17	353
Kent	360	244	116	354	242	112	98.3	99.2	96.5	313	17	20	4
Montgomery	7,593	7,208	385	7,558	7,190	368	99.5	99.7	95.6	3,371	137	4,025	25
Prince Georges	9,416	8,290	1,126	9,376	8,273	1,103	99.6	99.8	97.9	2,955	901	5,458	62
Queen Annes	322	205	117	299	198	101	92.9	96.6	86.3	-	270	16	11
Saint Marys	1,124	831	293	1,012	811	201	90.0	97.6	68.6	942	18	35	17
Somerset	388	197	191	295	190	105	76.0	96.4	55.0	136	152	7	-
Talbot	472	321	151	453	321	132	96.0	100.0	87.4	432	14	6	1
Washington	1,935	1,882	53	1,915	1,862	53	99.0	98.9	100.0	1,671	13	226	5
Wicomico	1,149	797	352	1,129	789	340	98.3	99.0	96.6	1,098	8	22	1
Worcester	561	301	260	406	296	110	72.4	98.3	42.3	-	372	24	1



TABLE 11. LIVE BIRTHS, SINGLE AND PLURAL BY BIRTHWEIGHT AND RACE. THREE MARYLAND AREAS, 1957

Area of Residence	TOTAL (Single and plural births)	SINGLE BIRTHS			PLURAL BIRTHS			Weight not stated	
		BIRTHWEIGHT		PER CENT 2500 gms and less	BIRTHWEIGHT		PER CENT 2500 gms and less		
		2500 gms and less	2501 gms and over		2500 gms and less	2501 gms and over		2500 gms and less	
<u>MARYLAND STATE</u>									
Total	76,127	5,832	68,536	7.8	776	753	50.7	219	11
White	59,122	3,733	54,115	6.5	477	624	43.3	166	7
Non-White	17,005	2,099	14,421	12.7	299	129	69.9	53	4
<u>BALTIMORE CITY</u>									
Total	25,067	2,406	22,061	9.8	380	189	66.8	31	-
White	14,305	1,005	13,016	7.2	147	122	54.6	15	-
Non-White	10,762	1,401	9,045	13.4	233	67	77.7	16	-
<u>TOTAL COUNTIES</u>									
Total	51,060	3,426	46,475	6.9	396	564	41.3	188	11
White	44,817	2,728	41,099	6.2	330	502	39.7	151	7
Non-White	6,243	698	5,376	11.5	66	62	51.6	37	4





TABLE 12. BIRTHS BY PLACE OF RESIDENCE AND OCCURRENCE, BY RACE. MARYLAND AREAS, 1957

Area	Births by area of mother's residence			Births in Maryland by area of birth			Out-transfer certificates; i.e., Births in area in col. 1 to residents of:				In-transfer certificates; i.e., Births to residents of col. 1 areas which occurred in:			
	Total	White	Non- White	Total	White	Non- White	Another State	Another County	Balto. City	Sub- Total	Another State	Another County	Balto. City	Sub- Total
Maryland State	76,127	59,122	17,005	67,958	51,246	16,712	3,611	18,503	235	22,349	11,780	3,851	14,887	30,518
Baltimore City	25,067	14,305	10,762	39,680	28,005	11,675	85	14,887	...	14,972	124	235	...	359
Total Counties	51,060	44,817	6,243	28,278	23,241	5,037	3,526	3,616	235	7,377	11,656	3,616	14,887	30,159
Allegany	1,664	1,638	26	2,031	2,002	29	440	60	8	508	136	3	2	141
Anne Arundel	4,574	3,752	822	2,755	2,230	525	470	196	183	849	138	109	2,421	2,668
Baltimore	11,740	11,146	594	158	123	35	-	1	-	1	198	168	11,217	11,583
Calvert	473	196	277	427	157	270	1	31	-	32	19	42	17	78
Caroline	393	278	115	46	4	42	1	3	-	4	92	257	2	351
Carroll	1,079	1,016	63	73	55	18	1	1	1	3	392	201	416	1,009
Cecil	1,437	1,341	96	1,180	1,091	89	86	50	2	138	106	260	29	395
Charles	986	560	426	608	342	266	3	35	-	38	295	110	11	416
Dorchester	625	358	267	573	322	251	2	20	1	23	16	55	4	75
Frederick	1,607	1,468	139	1,512	1,348	164	18	236	4	258	264	78	11	353
Garrett	420	420	-	373	373	-	84	2	2	88	92	42	1	135
Harford	2,008	1,755	253	2,327	2,053	274	320	335	12	667	39	34	275	348
Howard	734	613	121	18	7	11	-	-	-	-	17	345	354	716
Kent	360	244	116	440	296	144	1	120	-	121	20	17	4	41
Montgomery	7,593	7,208	385	5,937	5,340	597	1,354	1,177	4	2,535	4,029	137	25	4,191
Prince Georges	9,416	8,290	1,126	3,334	2,515	819	84	261	2	347	5,464	903	62	6,429
Queen Annes	322	205	117	36	19	17	10	-	1	11	16	270	11	297
Saint Marys	1,124	831	293	1,335	1,054	281	248	26	7	281	35	18	17	70
Somerset	388	197	191	242	109	133	12	4	-	16	7	155	-	162
Talbot	472	321	151	923	635	288	8	462	2	472	6	14	1	21
Washington	1,935	1,882	53	1,874	1,823	51	120	61	4	185	228	13	5	246
Wicomico	1,149	797	352	1,897	1,338	559	245	533	2	780	23	8	1	32
Worcester	561	301	260	179	5	174	18	2	-	20	24	377	1	402



TABLE 13-A. DEATHS IN BROAD AGE GROUPS, BY RACE. THREE MARYLAND AREAS, 1957

Area of Residence	Race	All ages	D E A T H S     B Y     A G E									
			Under one	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 +*
Maryland State	All deaths	26,497	2144	311	287	375	677	1413	2774	4650	6200	7658
	White	21,309	1346	204	211	287	436	948	1992	3665	5253	6964
	Non-White	5,188	798	107	76	88	241	465	782	985	947	694
Baltimore City	All deaths	11,464	868	98	96	113	289	646	1340	2303	2772	2939
	White	8,259	355	43	52	73	127	330	811	1624	2237	2607
	Non-White	3,205	513	55	44	40	162	316	529	679	535	332
Total Counties	All deaths	15,033	1276	213	191	262	388	767	1434	2347	3428	4719
	White	13,050	991	161	159	214	309	618	1181	2041	3016	4357
	Non-White	1,983	285	52	32	48	79	149	253	306	412	362

\*Unknown age - three white and five non-white in the Total Counties.

TABLE 13-B. DEATHS BY RACE AND MONTH OF DEATH. THREE MARYLAND AREAS, 1957

Area of Residence	Race	All months	M O N T H     O F     D E A T H											
			Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maryland State	All deaths	26,497	2395	2042	2293	2194	2126	2242	2115	1889	1937	2435	2393	2436
	White	21,309	1964	1665	1840	1751	1736	1830	1718	1483	1543	1871	1940	1968
	Non-White	5,188	431	377	453	443	390	412	397	406	394	564	453	468
Baltimore City	All deaths	11,464	1007	870	1029	925	920	958	918	794	832	1100	1056	1055
	White	8,259	742	635	742	653	665	706	682	536	599	745	776	778
	Non-White	3,205	265	235	287	272	255	252	236	258	233	355	280	277
Total Counties	All deaths	15,033	1388	1172	1264	1269	1206	1284	1197	1095	1105	1335	1337	1381
	White	13,050	1222	1030	1098	1098	1071	1124	1036	947	944	1126	1164	1190
	Non-White	1,983	166	142	166	171	135	160	161	148	161	209	173	191





TABLE 14. THE EIGHT LEADING CAUSES OF DEATH IN SPECIFIED AGE GROUPS. MARYLAND, 1957

<u>UNDER ONE YEAR</u>			<u>AGES 1 - 4</u>		
<u>Rank</u>	<u>Number</u>	<u>Per cent Under age 1</u>	<u>Rank</u>	<u>Number</u>	<u>Per cent Ages 1-4</u>
All causes	2,144	100.0	All causes	311	100.0
1. Prematurity	949	44.3	1. Accidents	83	26.7
2. Congenital malformations	337	15.7	2. Congenital malformations	46	14.8
3. Influenza and pneumonia	192	8.9	3. Influenza and pneumonia	45	14.5
4. Birth injury	107	5.0	4. Malignant neoplasms	30	9.6
5. Asphyxia	94	4.4	5. Meningitis, exc. meningococcal	7	2.3
6. Diarrhea and enteritis	54	2.5	6. Diarrhea and enteritis	6	1.9
7. Accidents	51	2.4	7. Meningococcal infections	6	1.9
8. Hemolytic disease of newborn	43	2.0	8. Acute upper respiratory inf.	6	1.9
<u>AGES 5 - 14</u>			<u>AGES 15 - 44</u>		
<u>Rank</u>	<u>Number</u>	<u>Per cent Ages 5-14</u>	<u>Rank</u>	<u>Number</u>	<u>Per cent Ages 15-44</u>
All causes	287	100.0	All causes	2,465	100.0
1. Accidents	118	41.1	1. Accidents	498	20.2
2. Malignant neoplasms	49	17.1	2. Diseases of the heart	485	19.7
3. Congenital malformations	20	7.0	3. Malignant neoplasms	360	14.6
4. Influenza and pneumonia	13	4.5	4. Suicide	142	5.8
5. Cerebral spastic infantile paralysis	10	3.5	5. Cerebral hemorrhage, etc.	108	4.4
6. Meningitis, exc. meningococcal	5	1.7	6. Homicide	103	4.2
7. Appendicitis	5	1.7	7. Influenza and pneumonia	95	3.9
8. Diarrhea and enteritis	4	1.4	8. Cirrhosis of the liver	93	3.8
<u>AGES 45 - 64</u>			<u>AGES 65 AND OVER</u>		
<u>Rank</u>	<u>Number</u>	<u>Per cent Ages 45-64</u>	<u>Rank</u>	<u>Number</u>	<u>Per cent Ages 65 +</u>
All causes	7,424	100.0	All causes	13,866	100.0
1. Diseases of the heart	3,121	42.0	1. Diseases of the heart	7,203	51.9
2. Malignant neoplasms	1,729	23.3	2. Malignant neoplasms	2,039	14.7
3. Cerebral hemorrhage, etc.	503	6.8	3. Cerebral hemorrhage, etc.	1,684	12.1
4. Accidents	271	3.7	4. Arteriosclerosis	428	3.1
5. Diabetes mellitus	191	2.6	5. Influenza and pneumonia	376	2.7
6. Cirrhosis of the liver	191	2.6	6. Accidents	331	2.4
7. Influenza and pneumonia	181	2.4	7. Diabetes mellitus	296	2.1
8. Tuberculosis, all forms	152	2.0	8. Tuberculosis, all forms	86	0.6



TABLE 15. DEATHS FOR SELECTED CAUSES. MARYLAND AREAS, 1957

Area of Residence	All causes	Diseases of heart (410-443)	Malignant neoplasms (140-205)	Cerebral hemorrhage, etc. (330-334)	Accidents			Early infancy (760-776)	Influenza & pneumonia (480-493)	Diabetes mellitus (260)	Arterio-sclerosis (450)	Congenital malformations (750-759)	Cirrhosis of the liver (581)	Tuberculosis, all forms* (001-019)	Suicide (970-979)	Homicide (980-985)	Nephritis, all forms (590-594)	Syphilis, all forms (020-029)	Alcoholism (322)	Rheumatic fever (400-402)	Chronic rheumatic heart (410-416)
					All accidents (800-962)	Motor vehicle (810-835)	Home accidents														
Maryland State	26,497	10,822	4213	2307	1354	525	410	1315	857	526	445	444	364	319	302	164	266	83	56	10	288
Baltimore City	11,464	4,818	1836	829	478	153	159	560	385	262	142	167	221	207	97	88	94	55	28	2	122
Total Counties	15,033	6,004	2377	1478	876	372	251	755	472	264	303	277	143	112	205	76	172	28	28	8	166
Allegany	1,000	470	150	81	51	20	18	20	33	22	24	9	15	5	4	2	18	3	1	-	17
Anne Arundel	1,227	454	207	125	80	30	26	73	42	26	18	21	12	10	21	4	7	1	4	1	21
Baltimore	2,877	1,221	523	217	149	59	39	158	65	54	41	66	23	25	37	10	25	6	4	1	35
Calvert	143	55	23	13	10	2	5	3	9	2	3	1	1	-	3	1	1	1	-	-	1
Caroline	260	119	31	25	20	10	5	5	8	6	12	4	-	1	-	-	5	-	-	-	2
Carroll	503	202	89	55	38	19	11	26	12	19	6	10	-	1	7	1	6	-	-	-	3
Cecil	419	153	50	40	36	7	12	30	12	12	9	6	4	2	8	2	13	-	1	-	4
Charles	260	84	33	16	30	15	9	19	8	5	4	10	2	-	2	6	-	1	1	1	2
Dorchester	373	161	43	42	22	8	10	15	12	9	11	3	-	3	2	2	3	1	1	1	1
Frederick	711	288	98	80	39	23	8	25	26	13	17	12	4	4	15	2	11	-	3	1	11
Garrett	160	78	12	17	6	2	3	2	7	4	10	2	1	-	-	-	1	-	-	-	2
Harford	510	221	71	39	45	22	10	25	10	3	10	13	4	3	10	3	8	1	-	-	1
Howard	258	118	33	19	14	7	4	10	8	4	6	4	2	2	4	-	3	1	1	-	3
Kent	187	61	25	29	8	6	-	7	5	6	2	2	2	1	1	3	5	2	-	1	3
Montgomery	1,698	593	322	184	84	29	27	92	59	16	27	31	27	13	32	9	14	-	3	1	22
Prince Georges	1,763	646	274	157	104	49	29	143	64	18	34	45	23	16	28	12	20	1	2	-	17
Queen Annes	202	91	26	18	16	11	3	2	6	4	5	1	-	3	1	-	3	4	-	-	1
Saint Marys	246	67	32	26	28	18	5	34	12	2	4	10	1	1	1	6	-	-	-	-	3
Somerset	231	90	27	37	10	1	4	8	7	5	7	1	-	3	1	2	12	-	-	-	1
Talbot	283	115	53	36	8	4	2	4	14	3	10	4	4	1	3	2	3	-	1	1	1
Washington	848	370	129	94	33	15	12	27	28	16	26	16	7	7	11	2	4	3	1	-	7
Wicomico	523	212	66	88	26	8	6	14	18	6	7	4	10	5	10	4	3	3	4	-	7
Worcester	351	135	60	40	19	7	3	13	7	9	10	2	1	6	4	3	7	-	1	-	1

\*Diseases of the heart through tuberculosis are the 11 leading causes in the State; the remainder are selected causes.





TABLE 16. DEATHS BY PLACE OF RESIDENCE AND OCCURRENCE, BY RACE. MARYLAND AREAS, 1957

Area	Deaths by area of residence			Deaths in Maryland by area of death			Out-transfer certificates; i.e., Deaths in area in col. 1 to residents of:				In-transfer certificates; i.e., Deaths to residents of col. 1 areas which occurred in:			
	Total	White	Non- White	Total	White	Non- White	Another State	Another County	Balto. City	Sub- Total	Another State	Another County	Balto. City	Sub- Total
Maryland State	26,497	21,309	5,188	26,472	21,240	5,232	1,704	3,589	1,108	6,401	1,729	2,487	2,210	6,426
Baltimore City	11,464	8,259	3,205	12,676	9,540	3,136	297	2,210	...	2,507	187	1,108	...	1,295
Total Counties	15,033	13,050	1,983	13,796	11,700	2,096	1,407	1,379	1,108	3,894	1,542	1,379	2,210	5,131
Allegany	1,000	981	19	1,000	981	19	101	12	1	114	65	37	12	114
Anne Arundel	1,227	976	251	1,070	687	383	54	81	156	291	40	81	327	448
Baltimore	2,877	2,717	160	2,132	1,955	177	46	183	615	844	65	99	1,425	1,589
Calvert	143	83	60	140	88	52	8	13	1	22	8	10	7	25
Caroline	260	195	65	137	101	36	4	3	-	7	25	100	5	130
Carroll	503	479	24	657	618	39	12	146	214	372	59	50	109	218
Cecil	419	381	38	460	401	59	73	55	17	145	38	53	13	104
Charles	260	157	103	213	128	85	20	15	1	36	38	36	9	83
Dorchester	373	265	108	409	317	92	5	87	1	93	8	41	8	57
Frederick	711	655	56	665	606	59	15	56	10	81	52	45	30	127
Garrett	160	159	1	171	171	-	27	14	1	42	17	14	-	31
Harford	510	435	75	456	389	67	32	47	7	86	15	52	73	140
Howard	258	205	53	194	163	31	7	21	30	58	3	52	67	122
Kent	187	125	62	165	114	51	4	9	2	15	8	25	4	37
Montgomery	1,698	1,585	113	1,979	1,819	160	622	172	9	803	421	88	13	522
Prince Georges	1,763	1,508	255	1,251	1,019	232	178	53	14	245	538	187	32	757
Queen Annes	202	147	55	140	97	43	8	13	2	23	9	68	8	85
Saint Marys	246	168	78	207	135	72	19	7	1	27	15	31	20	66
Somerset	231	142	89	160	96	64	9	4	-	13	7	67	10	84
Talbot	283	203	80	365	256	109	14	122	3	139	17	35	5	57
Washington	848	817	31	861	834	27	75	28	6	109	48	32	16	96
Wicomico	523	423	100	766	595	171	64	233	15	312	22	38	9	69
Worcester	351	244	107	198	130	68	10	5	2	17	24	138	8	170



TABLE 17. INFANT, STILLBIRTH AND MATERNAL MORTALITY, BY RACE. MARYLAND AREAS, 1957

Area of Residence	DEATHS UNDER AGE ONE						STILLBIRTHS*			MATERNAL DEATHS		
	All ages under one			Under 28 days			Total	White	Non-White	Total	White	Non-White
	Total	White	Non-White	Total	White	Non-White						
Maryland State	2,144	1,346	798	1,580	1,029	551	1,174	776	398	26	20	5
Baltimore City	868	355	513	661	275	386	408	179	229	15	11	4
Total Counties	1,276	991	285	919	754	165	766	597	169	10	9	1
Allegany	32	32	-	25	25	-	39	39	-	1	1	-
Anne Arundel	134	94	40	86	67	19	75	43	32	1	1	-
Baltimore	263	234	29	198	177	21	139	124	15	6	6	-
Calvert	9	2	7	4	2	2	15	5	10	-	-	-
Caroline	14	7	7	8	6	2	4	2	2	-	-	-
Carroll	38	35	3	30	28	2	20	18	2	-	-	-
Cecil	45	43	2	34	33	1	17	15	2	-	-	-
Charles	44	16	28	24	9	15	30	14	16	-	-	-
Dorchester	26	11	15	14	9	5	10	2	8	-	-	-
Frederick	36	27	9	27	20	7	18	17	1	-	-	-
Garrett	5	5	-	4	4	-	13	13	-	-	-	-
Harford	45	33	12	34	25	9	34	31	3	-	-	-
Howard	20	15	5	13	10	3	12	10	2	-	-	-
Kent	11	4	7	8	3	5	2	1	1	-	-	-
Montgomery	144	134	10	116	108	8	84	81	3	-	-	-
Prince Georges	235	185	50	169	138	31	141	115	26	2	1	1
Queen Annes	7	4	3	2	2	-	9	4	5	-	-	-
Saint Marys	55	37	18	39	28	11	26	13	13	-	-	-
Somerset	14	3	11	9	2	7	11	3	8	-	-	-
Talbot	10	2	8	8	2	6	9	6	3	-	-	-
Washington	44	42	2	38	36	2	26	25	1	-	-	-
Wicomico	29	17	12	17	12	5	21	12	9	-	-	-
Worcester	16	9	7	12	8	4	11	4	7	-	-	-

\*Stillbirths relate to 20 weeks of gestation or longer.





TABLE 18. MARRIAGE AND DIVORCE DATA BY COUNTY OF OCCURRENCE. MARYLAND AREAS, 1957

Area	Number of marriages <sup>a/</sup>			Marriages per 1000 population			Non-resident marriages <sup>b/</sup>		Divorces granted
	Total	White	Non-White	Total	White	Non-White	Number	Per cent <sup>c/</sup>	
Maryland State	42,799	34,351	8,448	14.8	14.1	18.1	18,960	44.3	5,521
Baltimore City	10,635	7,075	3,560	10.9	10.3	12.2	1,013	9.5	2,824
Total Counties	32,164	27,276	4,888	16.8	15.7	27.7	17,947	55.8	2,697
Allegany	2,669	2,544	125	32.5	31.4	119.0	1,890	70.8	168
Anne Arundel	1,240	1,024	216	7.0	6.7	8.7	226	18.2	242
Baltimore	3,145	3,003	142	7.6	7.5	7.7	584	18.6	438
Calvert	120	76	44	8.4	8.1	9.0	11	9.2	16
Caroline	353	295	58	18.4	19.0	15.7	173	49.0	21
Carroll	754	737	17	14.1	14.4	7.4	299	39.7	46
Cecil	9,325	7,168	2,157	206.3	169.1	770.3	8,445	90.6	84
Charles	396	286	110	13.3	14.1	11.6	157	39.6	21
Dorchester	231	171	60	8.2	8.7	7.0	13	5.6	47
Frederick	938	888	50	13.7	13.8	11.6	293	31.2	117
Garrett	1,495	1,472	23	74.7	73.6	-	1,259	84.2	32
Harford	1,181	1,079	102	17.9	18.2	15.2	573	48.5	96
Howard	642	575	67	21.8	22.6	16.3	69	10.7	35
Kent	213	168	45	13.9	14.3	12.5	78	36.6	28
Montgomery	2,506	2,011	495	9.1	7.6	41.3	1,034	41.3	314
Prince Georges	2,441	2,012	429	7.6	6.8	16.6	709	29.0	484
Queen Annes	154	120	34	10.1	10.8	8.3	31	20.1	18
Saint Marys	321	263	58	8.4	8.3	9.3	26	8.1	42
Somerset	267	185	82	13.0	14.2	10.9	72	27.0	57
Talbot	233	163	70	11.6	11.0	13.2	21	9.0	26
Washington	2,447	2,314	133	27.6	26.8	57.8	1,556	63.6	191
Wicomico	606	435	171	12.7	11.5	17.3	168	27.7	134
Worcester	487	287	200	19.6	17.5	23.8	260	53.4	40

<sup>a/</sup> Marriages refer to the number of ceremonies - not the number of persons married.

<sup>b/</sup> Non-resident marriages are those in which neither party was resident in Maryland.

<sup>c/</sup> Non-resident marriages as a per cent of all marriages.



TABLE 19. ABRIDGED LIFE TABLE FOR MARYLAND, 1949-51<sup>a/</sup>

Selected ages	PROPORTION DYING ( $Q_x$ )				STATIONARY POPULATION ( $L_x$ )				AVERAGE REMAINING LIFETIME ( $e_x$ )			
	Number dying during year per 1,000 alive at beginning of year				Survivors in year of age from 100,000 born alive				Average number of years of life remaining at beginning of year of age			
	White		Non-White		White		Non-White		White		Non-White	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
0- 1	26.08	20.77	48.08	36.10	97,706	98,205	95,993	97,022	66.32	71.90	58.09	61.95
5- 6	0.74	0.59	1.10	0.90	96,886	97,490	94,262	95,683	63.41	68.72	56.57	59.69
10-11	0.49	0.36	0.73	0.64	96,570	97,274	93,853	95,339	58.62	63.87	51.81	54.91
15-16	0.84	0.51	1.50	1.04	96,300	97,078	93,388	94,962	53.77	58.99	47.04	50.11
20-21	1.25	0.61	3.41	2.49	95,766	96,793	92,289	94,183	49.04	54.15	42.52	45.46
25-26	1.30	0.68	4.23	3.43	95,152	96,485	90,449	92,722	44.34	49.32	38.32	41.12
30-31	1.46	1.25	4.80	3.98	94,506	96,052	88,484	91,039	39.62	44.51	34.10	36.82
35-36	2.12	1.54	6.54	5.25	93,687	95,348	86,035	88,986	34.94	39.82	29.97	32.59
40-41	3.84	2.34	9.53	7.69	92,350	94,505	82,682	86,193	30.37	35.13	26.03	28.52
45-46	6.92	4.06	14.34	11.79	89,943	93,012	77,931	82,142	26.07	30.62	22.40	24.74
50-51	10.63	5.74	20.75	17.04	86,058	90,739	71,365	76,409	22.08	26.30	19.15	21.33
55-56	17.39	8.84	29.67	23.85	80,374	87,577	62,907	68,976	18.38	22.12	16.29	18.28
60-61	26.88	14.29	40.20	32.72	71,896	82,700	52,671	59,810	15.16	18.21	13.87	15.61
65-66	37.55	22.42	50.71	43.41	61,060	75,470	41,730	49,300	12.31	14.63	11.78	13.31
70-71	53.34	36.82	64.17	55.09	48,550	65,177	31,118	38,310	9.72	11.42	9.86	11.33
75-76	85.03	58.95	89.29	68.22	34,298	51,147	21,060	27,908	7.53	8.71	8.24	9.55
80-81	105.68	94.01	99.62	75.12	20,402	34,636	12,626	19,152	5.93	6.49	7.12	7.78
85-86	172.79	142.40	113.77	104.02	10,190	18,572	7,306	12,373	4.19	4.79	5.55	5.58
90-91	227.12	207.29	175.36	180.15	3,174	7,193	3,445	5,853	3.41	3.50	3.87	3.79
95-96	287.54	292.49	274.37	280.02	752	1,737	981	1,605	2.60	2.56	2.67	2.63
100-101	385.83	388.31	384.47	385.98	99	220	135	214	1.93	1.92	1.93	1.93
105-106	477.78	477.51	478.09	477.89	6	13	8	13	1.52	1.52	1.52	1.52

<sup>a/</sup> Data from "Maryland Life Tables, 1949-51", National Office of Vital Statistics, Dept. HEW, published March 9, 1956. V. S. Special Reports, Vol. 41, Supplement 19. (A later life table would require population information by age, race, and sex, not presently available for individual States.)







